

**TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24**

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
<b>1</b>	<b>Absorbent Cotton Wool (BPC) 500gm</b>										
1	M/S SOS Technologies, Multan	SOS Technologies	AB Medicals	Manufacturer	Y	EX	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S Surgical Fibre, Lahore	Surgical Fibre	Cotton	Manufacturer	expired	EX	Y	Y	Y	APPROVED	NON RESPONSIVE
<b>2</b>	<b>Absorbent Cotton Wool (BPC) 500gm layered Ortho Grade</b>										
1	N.Q										
<b>3</b>	<b>Absorbent Gauze (BPC) Cloth Width 100cm x Length 30Meters (in Meters) (MULMUL)</b>										
1	M/S SOS Technologies, Multan	SOS Technologies	AB Medicals	Manufacturer	Y	EX	Y	Y	Y	APPROVED	RESPONSIVE
<b>4</b>	<b>Adhesive Plaster (Zinc Oxide) Spool of 7.5cm x 5 to 9 Meter. The Firms will Quote Rate @ Per Meter &amp; Stores Received will be Analyzed as Per BPC</b>										
1	M/S AL.Hamd Enterprises, Karachi		Kohlcan	Y	Y	Y	Y	Size not according to set	Y	REJECTED	NON RESPONSIVE
2	M/S Arsons Pharmaceutical Industries Pvt Ltd, Lahore	Arsons	Zinco	Manufacturer	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
3	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Paragon- Zinc Oxide Adhesive Plasters 7.5cm x 5m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
4	M/S Surgical Fibre, Lahore	Surgical Fibre	surgi-plast	Manufacturer	Y	Y	Y	Size not according to specs	Y	REJECTED	NON RESPONSIVE
<b>5</b>	<b>Bandages Plaster of Paris 15cm x 2.7Meter</b>										
1	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Gypsona Plaster of Paris Bandages 15cm x 2.7m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE

**TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24**

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
2	M/S Cotton Craft Pvt Ltd, Lahore	Cotton Craft	Orthoplast	Manufacturer	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
<b>6</b>	<b>Chlorhexidine Acetate Tulle Gras Dressing Contains Chlorhexidine Acetate 0.5% w/w All Sizes (Pack of 10's)</b>										
1	M/S Arsons Pharmaceutical Industries Pvt Ltd, Lahore	Arsons	Arso-Tulle	Manufacturer	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Bactigras 10cm x 10cm (15cm x 20cm)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax 10/10cm 15/20cm	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
4	M/S Cotton Craft Pvt Ltd, Lahore	Cotton Craft	Para-Tulle	Manufacturer	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>7</b>	<b>Cotton Bandage 10cm x 6Meter BPC</b>										
1	N.Q										
<b>8</b>	<b>Cotton Bandage 15cm x 6Meter BPC</b>										
1	N.Q										
<b>9</b>	<b>Cotton Bandage 6.5cm x 6Meter BPC</b>										
1	N.Q										
<b>10</b>	<b>Crepe Bandage 15cm x 4.5Meter</b>										
1	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Elastocrepe Cotton Crepe Bandages 15cm x 4.5m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S Surgical Fibre, Lahore	Surgical Fibre	Crepe Bandages	Manufacturer	EXPIRED	EX	Y	Y	Y	APPROVED	NON RESPONSIVE
<b>11</b>	<b>Crepe Bandage 10cm x 4.5Meter</b>										
1	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Elastocrepe Cotton Crepe Bandages 10cm x 4.5m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S Surgical Fibre, Lahore	Surgical Fibre	Crepe Bandages	Manufacturer	EXPIRED	EX	Y	Y	Y	APPROVED	NON RESPONSIVE

**TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24**

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
<b>12</b>	<b>Crepe Bandage 7.5cm x 4.5Meter</b>										
1	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Elastocrepe Cotton Crepe Bandages 7.5cm x 4.5m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
	M/S Surgical Fibre, Lahore	Surgical Fibre	Crepe Bandages	Manufacturer	EXPIRED	EX	Y	Y	Y	APPROVED	NON RESPONSIVE
<b>13</b>	<b>Non Woven Adhesive Plaster 2"</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Fixing Roll 5cm x 10M	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>14</b>	<b>Paper Adhesive Tape (Medical Use) 1"</b>										
1	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz	Nichipore Surgical Paper Tape 25mm x 4.5m/1"	NA	Y	Y	N	Y	Y	REJECTED	
2	M/S AL.Hamd Enterprises, Karachi		Kohlcan	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Arsons Pharmaceutical Industries Pvt Ltd, Lahore	Arsons	Arsopore	Manufacturer	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
4	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Micropours Surgical Tape 2.5cm x 450cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
5	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Surgitape	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>15</b>	<b>Paper Adhesive Tape (Medical Use) 2"</b>										
1	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz	Nichipore Surgical Paper Tape 50mm x 4.5m/2"	Manufacturer	Y	Y	N	Y	Y	REJECTED	NON RESPONSIVE
2	M/S AL.Hamd Enterprises, Karachi		Kohlcan	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
3	M/S Arsons Pharmaceutical Industries Pvt Ltd, Lahore	Arsons	Arsopore	Manufacturer	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE

**TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24**

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
4	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Micropours Surgical Tape 5.0cm x 450cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
5	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Surgitape	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>16</b>	<b>Sterilized Gauze Pad (Swab) (Pack of 10's)</b>										
1	M/S Cotton Craft Pvt Ltd, Lahore	Cotton Craft	Pro-Med Gauze	Manufacturer	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>17</b>	<b>X-Ray Detectable Sterilized Gauze Pad (Swab 30x30) (Pack of 10's)</b>										
1	M/S Cotton Craft Pvt Ltd, Lahore	Cotton Craft	Pro-Med X-Ray Gauze	Manufacturer	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>18</b>	<b>Transparent Polyurethane Dressing 10x14cm</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Incise Drape (PU)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Opsite 10cm x 14cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax Surgi-site	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
<b>19</b>	<b>Transparent Hypoallergenic Plastic Tape for dressing (3M Transpore Sticking for angio/or equivalent)</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Transparent Surgical Tape 7.5cm x 910cm)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Leukofix Transparent Tape 5cm x 5m	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Surgi-Trans 1' 2' & 3'	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
<b>20</b>	<b>Transparent Polyurethane Dressing 15x28cm</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Incise Drape (PU)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE

**TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24**

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Opsite 28cm x 15cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax Surgi-site	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
<b>21</b>	<b>Wound Dressing Gynae</b>										
1	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz	Derpapore Dressing 9x25cm	Manufacturer	Y	Y	N	Y	Y	REJECTED	NON RESPONSIVE
2	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Adhesive Wound Dressing Size, 9cm x 30cm	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
3	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Leukomed-Sterile Adhesive Wound Dressing 25cm x 10cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
4	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>22</b>	<b>Adhesive dressing roll 4" 10cm x 10cm</b>										
1	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz	Derpapore Fix Roll (10cm x 10m)	Manufacturer	Y	Y	N	Y	Y	REJECTED	NON RESPONSIVE
2	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Incise Drape (PU)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Fixomull Stretch- Wide Area Fixation 10cm x 10m - Box	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
<b>23</b>	<b>Adhesive wound dressing 10cm x 30cm</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Adhesive Wound Dressing Size, 10cm x 30cm	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Leukomed-Sterile Adhesive Wound Dressing 30cm x 10cm	Y	Y	Y	Y	Y	Y	REJECTED	NON RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE

<b>TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2023-24</b>											
S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
24	<b>Adhesive wound dressing 45cm x 60cm (Opsite/or equivalent)</b>										
1	M/S Saru Traders, Bahawalpur	Jiangxi 3L Medical Product Co Ltd, China	Incise Drape (PU)	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
2	M/S New Majeed Medicin Company, Bwp	Essity Pakistan	Opsite 55cm x 45cm	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
3	M/S Allied Surgicals, Karachi	Wayson Medical Co Ltd, China	Oxymax	Y	Y	Y	Y	Y	Y	APPROVED	RESPONSIVE
25	<b>First Aid Bandage</b>										
1	N.Q										

**Miss. Alya Rasool**  
Hospital Pharmacist S.A.H  
(Member sub committee)

**Miss. Beenish Rana**  
Hospital Pharmacist Kidney Center  
(Member sub committee)

**Miss. Amna Saeed**  
Hospital Pharmacist B.V. Hospital,  
(Member sub committee)

**Dr. Imran Nazir**  
Hospital Pharmacist A&E Department  
(Member sub committee)

**Mr. Irfan Mustafa**  
Deputy Drug Controller PIC  
(Member sub committee)

**Dr. Fahad Qasair**  
Medical Officer Medicine Department  
B.V.Hospital Bahawalpur.  
(Member)

**Dr. Muhammad Burhan Barkat**  
Medical Officer of Urology Department  
BVH (Member)

**Dr. Ghanzanfar Ullah Farrukh Zaidi**  
SMO BVH Bahawalpur  
(Member)

**Dr. Umair Arif**  
Assistant Professor of Medicine  
B.V.Hospital Bahawalpur.  
(Member)

**Dr. Marya Aziz**  
Chief Pharmacist B.V.Hospital Bahawalpur.  
(Member)

**Dr. Farheen Aslam**  
APWMO Pathology Department QAMC  
(Member)

**Dr. Sara Raza**  
Associate Professor of Pathology  
Department QAMC  
(Member)

**Dr. Muhammad Khalid**  
Associate Professor / Incharge Eye Unit-II  
B.V.H (Member)

**Prof. Dr. Muhammad Nasir Ali**  
Head of Orthopedic Department  
(Chairman TAC)