

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
1	Absorbent Cotton Wool (BPC) 500gm										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Absorbent Cotton Wool	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Lader Absorbent Cotton Wool	MFG	Y	Ex	Y	Y	Rejected	Fluffy and not compatible	Non responsive
3	M/S Surgical Fiber, Lahore	Surgical Fiber / Locak	Cotton	MFG	Y	Ex	Y	Y	Rejected	Fluffy and not compatible	Non responsive
2	Absorbent Gauze (BPC) Cloth Width 100cm x Length 30Meters (in Meters) (MULMUL)										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Absorbent Gauze	MFG	Y	Ex	Y	Y	Rejected	Thin and poor quality	Non responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Absorbent Gauze BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
3	Adhesive Plaster (Zinc Oxide) Spool of 7.5cm x 5 to 9 Meter. The Firms will Quote Rate @ Per Meter & Stores Received will be Analyzed as Per BPC										
1	M/S New Majeed Medicine Company, Bahawalpur	Paragon - Zine Odide Adhesive Plasters 7.5cm x 1m	Essity Pakistan	Y	Y	Ex	Y	Y	Approved	-	Responsive
	M/S Surgical Fiber, Lahore	Surgical Fiber		MFG	Y	Ex	Y	Y	Rejected	Poor adhesive quality	Non responsive
2	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Zinco	MFG	Y	Ex	Y	Y	Rejected	Adhesive quality is poor	Non responsive
4	Bandages Plaster of Paris 15cm x 2.7Meter										
1	M/S New Majeed Medicine Company, Bahawalpur	Gypsona Plaster of Paris Bandages 15cm x 2.7 m	Essity Pakistan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Orthoplast	MFG	Y	Ex	Y	Y	Rejected	fixing time too much	Non responsive
3	M/S Shafia Enterprises, Lahore	Mediteks Saglik Hizmetleri Tibbi Turkey	Mediflex, Turkey	Y	Y	Ex	Y	Y	Rejected	Texture is poor	Non responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Licence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
5	Chlorhexidine Acetate Tulle Gras Dressing Contains Chlorhexidine Acetate 0.5% w/w All Sizes (Pack of 10's)										
1	M/S New Majeed Medicine Company, Bahawalpur	Bactigras 10cm x 10cm (15cm x 20cm)	Essity Pakistan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Para- Tulle	MFG	Y	Ex	Y	Y	Rejected	Texture not good	Non responsive
3	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Arso-Tulle	MFG	Y	Ex	Y	Y	Rejected	very thin net	Non responsive
6	Cotton Bandage 10cm x 6Meter BPC										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Surgical Bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Surgical Bandage BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
7	Cotton Bandage 15cm x 6Meter BPC										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Surgical Bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Surgical Bandage BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
8	Cotton Bandage 6.5cm x 6Meter BPC										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Surgical Bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Surgical Bandage BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
9	Crepe Bandage 15cm x 4.5Meter										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Elastocraft	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Shafia Enterprises, Lahore	Mediteks Saglik Hizmetleri Tibbi Turkey	Mediflex, Turkey	Y	Y	Ex	Y	Y	Approved	-	Responsive
3	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Elastic BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
	M/S Surgical Fiber, Lahore	surgical fiber	Cotton crepe bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
10	Crepe Bandage 10cm x 4.5Meter										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Elastocraft	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Shafia Enterprises, Lahore	Mediteks Saglik Hizmetleri Tibbi Turkey	Mediflex, Turkey	Y	Y	Ex	Y	Y	Approved	-	Responsive
3	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Elastic BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
4	M/S Surgical Fiber, Lahore	surgical fiber	Cotton crepe bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive
11	Crepe Bandage 7.5cm x 4.5Meter										
1	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Elastocraft	MFG	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Kohinoor Elastic BPC	MFG	Y	Ex	Y	Y	Approved	-	Responsive
	M/S Surgical Fiber, Lahore	surgical fiber	Cotton crepe bandage	MFG	Y	Ex	Y	Y	Approved	-	Responsive
12	Non Woven Adhesive Plaster 2"										
1	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Fixopore	N	N	Ex	Y	Y	Approved	-	Non responsive
13	Paper Adhesive Tape (Medical Use) 1"										
1	M/S AL- Hamd Enterprises, Karachi	Zhejiang Kekang Medical Technology Co Ltd, China	Kohlcan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non responsive
3	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Arsopore	MFG	Y	Ex	Y	Y	Approved	-	Responsive
4	M/S M and M Pharma, Lahore		M CARE	Y	Y	Ex	Y	Y	Approved	-	Responsive
5	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz - Pakistan	Nichipore Surgical Paper Tape 25mm x 4.5m/1"	MFG	Y	Ex	Y	Y	Approved	-	Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
14	Paper Adhesive Tape (Medical Use) 2"										
1	M/S AL- Hamd Enterprises, Karachi	Zhejiang Kekang Medical Technology Co Ltd, China	Kohlcan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non responsive
3	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Arsopore	MFG	Y	Ex	Y	Y	Approved	-	Responsive
5	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz - Pakistan	Nichipore Surgical Paper Tape 50mm x 4.5m/2"	MFG	Y	Ex	Y	Y	Approved	-	Responsive
15	Sterilized Gauze Pad (Swab) (Pack of 10's)										
1	M/S New Majeed Medicine Company, Bahawalpur	Propax Combine Dressing 10cm x 10cm (10cm x 20cm)	Essity Pakistan	MFG	Y	Ex	Y	Y	Rejected	Only single piece of guaze	Non responsive
2	M/S Cotton Craft, Lahore	Cotton Craft Pvt Ltd	Pro- Med Gauze	MFG	Y	Ex	Y	Y	Approved	-	Responsive
	M/S Surgical Fiber, Lahore	surgical fiber	Surgipore	MFG	Y	Ex	Y	Y	Approved	-	Responsive
3	M/S Kohinoor Industries, Sahiwal	Kohinoor Industries	Medi Gauze	MFG	Y	Ex	Y	Y	Approved	-	Responsive
16	Transparent Polyurethane Dressing 15x28cm										
1	M/S New Majeed Medicine Company, Bahawalpur	Opsite 28cm x 15cm	Essity Pakistan	Y	Y	Ex	Y	Y	Rejected	not absorable	Non responsive
2	M/S Muller & Phipps, Multan	ConvaTec	ConvaTec	Y	Y	Ex	Y	Y	Approved	-	Responsive
3	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non Responsive
17	Transparent Polyurethane Dressing 10x14cm										
1	M/S New Majeed Medicine Company, Bahawalpur	Opsite 10cm x 14cm	Essity Pakistan	Y	Y	Ex	Y	Y	No Sample	-	Non Responsive
2	M/S Muller & Phipps, Multan	ConvaTec	ConvaTec	Y	Y	Ex	Y	Y	Approved	-	Responsive
3	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
18	Transpore Sticking for angio 3M										
1	M/S New Majeed Medicine Company, Bahawalpur	Leukofix 1.25cm x 5m (2.5cm x 5m) (5cm x 5cm)	Essity Pakistan	Y	Y	Ex	Y	Y	Rejected	size not appropriate	Non responsive
2	M/S Medilution Health Care, Karachi	PharmaPlas Egypt.		Y	Y	Ex	Y	Y	No Sample	No Sample	Non responsive
3	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non Responsive
19	Wound dressing gynae										
1	M/S New Majeed Medicine Company, Bahawalpur	Leukomed - Sterile Adhesive Wound Dressins 25cm x 10cm	Essity Pakistan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Muller & Phipps, Multan	ConvaTec	ConvaTec	Y	Y	Ex	Y	Y	No Sample	-	Non Responsive
3	M/S Saru Traders, Bahawalpur	No MFG	No Brand	Y	Y	Ex	Y	Y	Approved	-	Non Responsive
4	M/S Safe Health Pakistan, Karachi	Shandong Haichun Biological Technology Co Ltd,	Wound Dressing	Y	Y	Ex	Y	Y	Approved	-	Responsive
5	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz - Pakistan	Dermapore Dressing 9x25cm	MFG	Y	Ex	Y	Y	Approved	-	Responsive
20	Adhesive dressing roll 4" 10cm x 10M										
1	M/S New Majeed Medicine Company, Bahawalpur	Fiomull Stretch- Wide Area Fixation 10cm x 10m	Essity Pakistan	Y	Y	Ex	Y	Y	Approved	-	Responsive
2	M/S Medilution Health Care, Karachi	PharmaPlas Egypt.		Y	Y	Ex	Y	Y	No Sample	-	Non responsive
3	M/S Arsons Pharmaceuticals, Lahore	Arson Pharmaceutical Industries	Fixopore	N	N	Ex	Y	Y	Approved	-	Non responsive
4	M/S Safe Health Pakistan, Karachi	Shandong Haichun Biological Technology Co Ltd,	Wound Dressing	Y	Y	Ex	Y	Y	No Sample	-	Non responsive
5	M/S Uniferoz Pvt Ltd, Karachi	Uniferoz - Pakistan	Dermapore Fix Roll (10cm x 10m)	MFG	Y	Ex	Y	Y	Approved	-	Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2022-23

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Reason of Rejection	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence/import Liscence (Y/N)	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation approved/ reject (Y/N)		
21	Absorbable Hemostatic Gelation Sponge										
1	N. Q										

Mr. Khaqan Saleem
Pharmacist Cardiac Center

Miss. Beenish Rana
Pharmacist Kidney Center

Miss Amna Saeed
Pharmacist B.V. Hospital,

Dr. Shabana Anwar
Pharmacist Civil Hospital,

Dr. Imran Nazir
Pharmacist A & E Department,
Member Sub Committee

Head of Orthopedic Department
B.V. Hospital, Bahawalpur
(End user)

Dr. Ahsan Firdous
A.M.S Store
Cardiac Center Bahawalpur

Dr. Syed Tariq Hassan
A.M.S Medical Store
Sadiq Abbasi Hospital Bahawalpur

Dr. Sajjad Mozzam
A.M.S Medical Store
B.V. Hospital Bahawalpur

Dr. Wajhat Hussain
Demonstrator Community Medicine
Department, Bahawalpur

Dr. Zafar Iqbal Ghafoor
Assistant Professor of Pharmacology Deptt.

Dr. Sara Raza
Assistant Professor of Pathology Deptt.

Dr. Saliha Zafar
Consultant Pathologist Pathology
Department

Prof. Dr. Ameer Ahmed Malik
Head of Pediatric Medicine Department

Prof. Dr. Muhammad Nasir Ali
Professor of Orthopedic Department
B.V. Hospital, Bahawalpur
(Chairman TAC)