

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2024-25

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
1	Absorbent Cotton Wool (BPC) 500gm										
1	M/S Kohinoor Industries,	Kohinoor Industries	Leader	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S S. Fazal Ilahi & Sons Pvt Ltd, Karachi	S. Fazal Ilahi & Sons	SPS Absorbent Cotton	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
3	M/S SOS Technologies Pvt Ltd,	SOS Technologies	AB Absorbent Cotton	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
4	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Absorbent Cotton WOOL	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
2	Absorbent Cotton Wool (BPC) 500gm layered Ortho Grade										
	N.Q										
3	Absorbent Gauze (BPC) Cloth Width 100cm x Length 30Meters (in Meters) (MULMUL)										
1	M/S Arson Pharmaceutical Industries,	Arson	Care Gauze	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
2	M/S SOS Technologies Pvt Ltd,	SOS Technologies	AB Gauze Roll	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
3	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Absorbent Gauze	NA	Y	Y	Y	Y	Y	Approved	Responsive
4	Adhesive Plaster (Zinc Oxide) Spool of 7.5cm x 5 to 9 Meter. The Firms will Quote Rate @ Per Meter & Stores Received will be Analyzed as Per BPC										
1	M/S Arson Pharmaceutical Industries,	Arson	Zinco Adhesive	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Tech Zone, Lahore	Jiangsu Nanfang	Yashfaen	Y	Y	Y(Exmp)	Y	Y	Y	Rejected/Poor Adhesion	Non-Responsive
3	M/S New Majeed Medicine,	Essity Pakistan	Paragon-Zinc Oxide 7.5cmx5m, 7.5cmx9m	Y	Y	Y	Y	Y	Y	Approved	Responsive
5	Bandages Plaster of Paris 15cm x 2.7Meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Arsona Plaster	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
2	M/S New Majeed Medicine,	Essity Pakistan	Gypsona Plaster 15cmx2.7m	Y	Y	Y	Y	Y	Y	Approved	Responsive
3	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Orthoplast	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2024-25

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
6	Chlorhexidine Acetate Tulle Gras Dressing Contains Chlorhexidine Acetate 0.5% w/w All Sizes (Pack of 10's)										
1	M/S Arson Pharmaceutical Industries,	Arson	Arso Tulle	NA	Y	Y	Y	Y	Y	Rejected	Non-Responsive
2	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	Oxymax Paraffin 10cmx10cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
3	M/S New Majeed Medicine,	Essity Pakistan	Bactigras 10cmx10cm, 15cmx20cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
4	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Para-Tulle 10cmx10cm, 15cmx20cm, 15cmx150cm	NA	Y	Y	Y	Y	Y	Approved	Responsive
7	Cotton Bandage 10cm x 6Meter BPC										
1	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Surgical Bandage	NA	Y	Y	Y	Y	Y	Approved	Responsive
8	Cotton Bandage 15cm x 6Meter BPC										
1	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Surgical Bandage	NA	Y	Y	Y	Y	Y	Approved	Responsive
9	Cotton Bandage 6.5cm x 6Meter BPC										
1	M/S Zia Enterprises, Lahore	Surgical Fiber / Local	Cotton Bandages	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
2	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Surgical Bandage	NA	Y	Y	Y	Y	Y	Approved	Responsive
10	Crepe Bandage 15cm x 4.5Meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Crepe Bandage	NA	Y	Y	Y	Y	Y	Rejected	Non-Responsive
2	M/S New Majeed Medicine,	Essity Pakistan	Elastocrepe	Y	Y	Y	Y	Y	Y	Approved	Responsive
3	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Elastocraft	NA	Y	Y	Y	Y	Y	Approved	Responsive
11	Crepe Bandage 10cm x 4.5Meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Crepe Bandage	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
2	M/S Zia Enterprises, Lahore	Surgical Fiber / Local	Crepe Bandage	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2024-25

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
3	M/S New Majeed Medicine,	Essity Pakistan	Elastocrepe	Y	Y	Y	Y	Y	Y	Approved	Responsive
4	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Elastocraft	NA	Y	Y	Y	Y	Y	Approved	Responsive
12	Crepe Bandage 7.5cm x 4.5Meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Crepe Bandage	NA	Y	Y	Y	Y	Y	Rejected	Non-Responsive
2	M/S New Majeed Medicine,	Essity Pakistan	Elastocrepe	Y	Y	Y	Y	Y	Y	Approved	Responsive
3	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Elastocraft	NA	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
13	Non Woven Adhesive Plaster 2”										
1	M/S Arson Pharmaceutical Industries,	Arson	Fixopore	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Tech Zone, Lahore	Pikdare	Pikdare	Y	Y	Y	Y	Y	Y	Rejected	Non-Responsive
14	Paper Adhesive Tape (Medical Use) 1" to 4.5 meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Arsopore	NA	Y	Y	Y	Y	Y	Rejeceted	Non-Responsive
2	M/S Clifton Enterprises, Lhr	Jiangsu Nanfang Medical Co, Ltd	Yashfaeen	Y	Y	Y	Y	Y	Y	Rejeceted	Non-Responsive
3	M/S Al Hamd Enterprises,	Zhejiang Kekang Medical Technology Co, Ltd, China	Kohlcan	Y	Y	Y	Y	Y	Y	Rejeceted	Non-Responsive
4	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	Surgi-Tape	Y	Y	Y	Y	Y	Y	Approved	Responsive
5	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	Micropours surgical tape 2.5cmx450cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
15	Paper Adhesive Tape (Medical Use) 2" to 4.5 meter										
1	M/S Arson Pharmaceutical Industries,	Arson	Arsopore	NA	Y	Y	Y	Y	Y	Rejected	Non-Responsive
2	M/S Clifton Enterprises, Lhr	Jiangsu Nanfang Medical Co, Ltd	Yashfaeen	Y	Y	Y	Y	Y	Y	Rejected	Non-Responsive
3	M/S Al Hamd Enterprises,	Zhejiang Kekang Medical Technology Co, Ltd, China	Kohlcan	Y	Y	Y	Y	Y	Y	Rejected	Non-Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2024-25

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	OXYMax Surgi-Site	Y	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Tech Zone, Lahore	Hony Medical	Yafho	Y	Y	Y(Exmp)	Y	Y	Y	Rejected	Non-Responsive
3	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	Surgical incise drape 10x14cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
4	M/S New Majeed Medicine,	Essity Pakistan	Opsite 10cmx14cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
22	Wound Dressing Gynae										
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	OXYMax 9cmx25cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	Adhesive wound dressing 9cmx25cm	Y	Y	Y	Y	Y	Y	Rejected	Non-Responsive
3	M/S New Majeed Medicine,	Essity Pakistan	leukomed-sterile 10cmx25cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
23	Adhesive dressing roll 4” 10cm x 10cm										
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	OxyMax 10cmx10cm	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Tech Zone, Lahore	Pikdare	Pikdare	Y	Y	Y	Y	Y	Y	Approved	Responsive
3	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	Fixing Roll 10cmx10m	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
4	M/S New Majeed Medicine,	Essity Pakistan	Fixomull Stretch wide area fixation	Y	Y	Y	Y	Y	Y	Approved	Responsive
24	Adhesive wound dressing 10cm x 30cm										
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	OxyMax 09cmx30cm	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	10cmx30cm	Y	Y	Y	Y	Y	Y	Rejected	Non-Responsive
3	M/S New Majeed Medicine,	Essity Pakistan	leukomed-sterile 10cmx30cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
25	Adhesive wound dressing 45cm x 60cm (Opsite)										
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	OxyMax Surgi-Site 45cmx55cm	NA	Y	Y	Y	Y	Y	Approved	Responsive

TECHNICAL COMPARITIVE STATEMENT FOR TENDER OF DRESSING ITEMS FOR THE YEAR 2024-25

S.N	Name of Firm	Manufacturer	Brand Name	Compulsory Criteria						Status	Remarks
				Agency Agreement (Y/N)	Maf Liscence/ Drug Sale Liscence	Registration / Provisional Registration (Y/N)	Affidavit (Y/N)	Sample Specification (Y/N)	Sample Evaluation (Y/N)		
2	M/S Tech Zone, Lahore	Hony Medical	Yafho	Y	Y	Y(Exmp)	Y	N	Y	Rejected/Not Acc to Spec	Non-Responsive
3	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	surgical incise drape	Y	Y	Y	Y	Y	Y	Approved	Responsive
4	M/S New Majeed Medicine,	Essity Pakistan	Opsite 55cmx45cm	Y	Y	Y	Y	Y	Y	Approved	Responsive
26	Transpore sticking for angio 3M										
1	M/S Mughees Medicine, Bwp	Wayson Medical Co, Ltd, China	Surgi-Trans 1", 2", 3"	NA	Y	Y	Y	Y	Y	Approved	Responsive
2	M/S Tech Zone, Lahore	Natalie Group	Natalie care	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
3	M/S Saru Traders, Bwp	Jiangxi 3L Medical Product Co Ltd, China	surgical tape 7.5cmx910cm	Y	Y	Y	Y	Y	Y	Rejected/Poor Quality	Non-Responsive
4	M/S New Majeed Medicine,	Essity Pakistan	Leukofix Transparent Tape 5cmx5m,	Y	Y	Y	Y	Y	Y	Approved	Responsive
27	Eye Pads (Box of 50s)										
1	M/S Cotton Craft Pvt Ltd, Lhr	Cotton Craft	Optik Eye Pad	NA	Y	Y	Y	Y	Y	Approved	Responsive

Miss. Aliya Rasool
Hospital Pharmacist S.A.H
(Member sub committee)

Mr. Hafiz Ibtesam Ahmed
Hospital Pharmacist PIC
(Member sub committee)

Miss. Amna Saeed
Hospital Pharmacist BVH
(Member sub committee)

Miss. Beenish Rana
Pharmacist Kidney Center
Member Sub Committee

Dr. Imran Nazir
Hospital Pharmacist A&E Department
(Member sub committee)

Mr. Zubair Butt
Deputy Drug Controller BVH
(Member sub committee)

Mrs. Shazia Sharif
Drug Controller BVH
(Member sub committee)

Dr. Fahad Qasair
Medical Officer Medicine
B.V.Hospital Bahawalpur.
(Member)

Dr. Muhammad Burhan Barkat
Senior Registrar
Urology Department BVH
(Member)

Dr. Ghanzanfar Ullah Farrukh Zaidi
SMO BVH Bahawalpur
(Member)

Dr. Umair Arif
Assistant Professor of Medicine
B.V.Hospital Bahawalpur.
(Member)

Dr. Muhammad Arshad
Assistant Professor of
Ophthalmology Department
(Member)

Dr. Marya Aziz
Chief Pharmacist
B.V.Hospital Bahawalpur.
(Member)

Dr. Farheen Aslam
APWMO Pathology Department QAMC
(Member)

Dr. Sara Raza
Associate Professor of Pathology
Department QAMC
(Member)

Prof. Dr. Muhammad Ameen
Professor of Pediatrics
Medicine
B.V. Hospital, Bahawalpur
(Chairman TAC)